

## Office of the Director of Public Health

Cheshire West and Chester Council  
4 Civic Way, Ellesmere Port, CH65 0BE

**Tel:** 0300 1238 123

**Email:**

[enquiries@cheshirewestandchester.gov.uk](mailto:enquiries@cheshirewestandchester.gov.uk)

**Web:** [www.cheshirewestandchester.gov.uk](http://www.cheshirewestandchester.gov.uk)

**Date:** 5 December 2022

Dear Headteacher/Manager,

### **Re: Increase in scarlet fever**

We are writing to inform you of a recent national increase in notifications of scarlet fever to the UK Health Security Agency (UKHSA), above seasonal expected levels.

We would like to take this opportunity to remind you of the signs, symptoms and the actions to be taken if you become aware of an outbreak at your school or nursery.

### **Signs and symptoms of scarlet fever**

Scarlet fever is a common childhood infection caused by *Streptococcus pyogenes*, or group A *Streptococcus* (GAS). The early symptoms of scarlet fever include sore throat, headache, fever, nausea and vomiting. After 12 to 48 hours the characteristic red, pinhead rash develops, typically first appearing on the chest and stomach, then rapidly spreading to other parts of the body, and giving the skin a sandpaper-like texture. The scarlet rash may be harder to spot on darker skin, although the 'sandpaper' feel should be present. Patients typically have flushed cheeks and pallor around the mouth. This may be accompanied by a 'strawberry tongue'. As the child improves peeling of the skin can occur.

### **Infection control advice**

In schools and nurseries it is recognised that infections can be spread through direct physical contact between children and staff and through shared contact with surfaces such as table tops, taps, toys and handles. During periods of high incidence of scarlet fever there may also be an increase in outbreaks in schools, nurseries and other childcare settings.



As per national 'Guidance on Infection Control in Schools and other Child Care Settings', children and adults with suspected scarlet fever should be **excluded** from nursery / school / work for 24 hours after the commencement of appropriate antibiotic treatment. Good hygiene practice such as hand washing remains the most important step in preventing and controlling spread of infection.

### **Recommended actions if you suspect an outbreak at your school or nursery**

- **Contact** your Health Protection Team for advice on  
**Monday to Friday 9am to 5pm 0344 225 0562**  
**Out of Hours 0151 434 4819**
- Your Health Protection Team will provide you with a **letter** and **Frequently Asked Questions** to cascade to staff and parents if appropriate

Although scarlet fever is usually a mild illness, patients can develop complications and if you have any concerns please contact your local Health Protection Team for advice.

Links to sources of further information on scarlet fever are included below. For any general queries, you can also contact us at

[HealthProtectionSecure@cheshirewestandchester.gov.uk](mailto:HealthProtectionSecure@cheshirewestandchester.gov.uk)

Yours sincerely



**Ian Ashworth**  
**Director of Public Health**

### **Resources**

[Scarlet fever: symptoms, diagnosis and treatment - GOV.UK \(www.gov.uk\)](https://www.gov.uk/government/publications/scarlet-fever-symptoms-diagnosis-and-treatment)

Health Protection in education and childcare settings:

<https://www.gov.uk/government/publications/health-protection-in-schools-and-other-childcare-facilities>

Hand hygiene resources for schools:

<http://www.e-bug.eu/>